

PRODUCT SHEETS

neoson

Craftsman of Emotions

Integrated tube amplifiers — single-ended, pure class A

GENÈSE · EVOLUTION

2025 — 2026



Genèse



Evolution

T H E H O U S E

neoson

A French sonic signature, shaped by time

A French artisanal company founded by Walter Blondel, Neoson devotes more than twenty years of research and persistence to a single goal: to restore the truth of music.

Convinced that power does not guarantee expressiveness, the brand relies on the single-ended configuration of its power tubes, a rigorous selection of components (tubes, transformers, Mundorf capacitors, ALPS potentiometer) and a design that is reliable, robust and repairable.

The pillars



French craftsmanship

Workshop, listening, finish.



Single-ended class A

Musicality before power.



Selected components

Mundorf, ALPS, PSVANE TII.



Durable & repairable

Designed for the long run.

M O D E L 0 1

Genèse

The essence of emotion

Genèse embodies the purest form of the Neoson approach. Through its single-ended KT88 tubes, it delivers a generous, deep and naturally controlled bass — a foundation rarely achieved within this architecture.

Natural timbres

Generous bass

Pure class A



GENÈSE — SPECIFICATIONS



Power

2 × 10 Wrms into 8 Ω · pure class A



Signal-to-noise ratio

-82 dB unweighted · 10 Wrms reference



Input sensitivity

0.8 Vrms



Power stage

2 × PSVANE KT88 TII Art · ultra-linear configuration



Output impedances

4 Ω or 8 Ω



Volume control

Motorised ALPS potentiometer · IR



Dimensions (W×H×D)

370 × 160 × 360 mm



Frequency response

20 Hz - 20 kHz, +/- 1 dB at 10 Wrms



Channel matching

Better than 0.2 dB · 20 Hz - 20 kHz



Pre-amplification

2 × PSVANE 12AX7-S Art



Analog inputs

3 line inputs · RCA



Coupling capacitors

Mundorf MCap Evo Silver Gold



Preamp & amp on absorbers

Mechanical vibration isolation



Weight · Power · Mains

15.3 kg · 160 W · 230 Vac (115 Vac on request)

M O D E L 0 2

Evolution

Emotion mastered

Evolution extends the Genèse experience by adding scale and command. The soundstage opens up, dynamics come alive, never betraying what matters most: musicality.

Soundstage

Total immersion

Dual SE KT88



EVOLUTION — SPECIFICATIONS



Power

2 × 20 Wrms into 8 Ω · pure class A



Signal-to-noise ratio

-84 dB unweighted · 20 Wrms reference



Input sensitivity

0.9 Vrms



Power stage

4 × PSVANE KT88 TII Art · ultra-linear configuration



Output impedances

4 Ω or 8 Ω



Volume control

Motorised ALPS potentiometer · IR



Dimensions (W×H×D)

430 × 200 × 410 mm



Frequency response

20 Hz - 20 kHz, 0/-1 dB at 20 Wrms



Channel matching

Better than 0.2 dB · 20 Hz - 20 kHz



Pre-amplification

2 × PSVANE 12AX7-S Art



Analog inputs

3 line inputs · RCA



Coupling capacitors

Mundorf MCap Supreme Evo Silver Gold



Preamp & amp on absorbers

Preamp + transformers + power tubes on absorbers



Weight · Power · Mains

24 kg · 260 W · 230 Vac (115 Vac on request)

THE RANGE

Genèse / Evolution

Choosing your entry into the Neoson universe



Genèse

The starting point

Power	2 × 10 Wrms / 8 Ω
Power tubes	2 × KT88 TII Art
Bandwidth	20 Hz - 20 kHz, +/- 1 dB at 10 Wrms
Coupling	Mundorf MCap Evo Silver Gold
Format	370 × 160 × 360 mm · 15.3 kg
Power draw	160 W



Evolution

The double single-ended

Power	2 × 20 Wrms / 8 Ω
Power tubes	4 × KT88 TII Art
Bandwidth	20 Hz - 20 kHz, 0/-1 dB at 20 Wrms
Coupling	Mundorf MCap Supreme Evo Silver Gold
Format	430 × 200 × 410 mm · 24 kg
Power draw	260 W



D I S T R I B U T I O N

An experience to be lived at our dealers

Neoson products are not sold online. The brand relies on a network of passionate dealers who will introduce you to its amplifiers in an audition room and answer your questions.

L E A R N M O R E

neoson.fr

Dealers · Reviews · Press · Downloads